

Muscle weakness

Posted by Catlover1 - 02 Mar 2006 09:36

I need help please!

This last couple of months I've noticed some muscle weakness in my legs but lately it's become more pronounced. I find walking, or any other movement involving my legs, to be difficult. I can't walk for more than 50m. then the heavy, weak feeling starts. With muscle pain in both upper and lower legs.

Is this a symptom of AA, or something entirely unconnected to it?

I'm so worried, and don't know what to do!

(Ive had a midline myolotomy from T11-L1 in 1993, and was diagnosed with AA about 4 years later)

Elizabeth

=====

Re:Muscle weakness

Posted by DocSarah - 08 Mar 2006 19:20

Dear Elizabeth,

it is impossible to be specific from a distance, but yes, weakness can be a symptom of arachnoiditis. However, as a persistent but new symptom, you should get it thoroughly checked out.

All the best,

Regards,

DocSarah

=====

Re:Muscle weakness

Posted by Becky - 08 Apr 2006 19:43

Hi elizabeth,

I also had this problem. My GP put me on Mirapex and it has helped a bunch. My legs are not as weak

and it helped my spasms and twitching. This drug is also used for restless leg syndrome.

Hugs,

Becky🍌

=====

Re:Muscle weakness

Posted by DocSarah - 10 Apr 2006 13:01

Hi Becky,

it sounds as if the symptoms come on when you are standing or walking. is that correct?

If so it is possibly a symptom of stenosis (narrowing) affecting nerve roots (Lateral canal stenosis) or the spinal canal (central canal stenosis)

It could however also be a symptom of AA; but it is important to get

new, persistent symptoms checked out.

Hope this helps,

DocSarah

=====

Re:Muscle weakness

Posted by Becky - 10 Apr 2006 21:24

Hi Doc Sarah, Thanks for getting back with me so quick. Yes it does increase the pain 100% by walking more than standing. Doc Whitworth is trying to figure out why this is. First he thought that my vertebrae was rocking, there is no disc left in L-4-5. This was not the case, he has me scheduled for the Medial block on 4-27-06. I have a large support group out there and they say that this will increase my A. What is your thoughts on that. They are very bitter people and have been in pain for a long time. They say injecting anything into the spine can increase the A symptoms.

Thanks again,

Becky

P.S. How do you control your A? 😊

=====

Re:Muscle weakness

Posted by DocSarah - 11 Apr 2006 15:47

Yes, in theory, injections impacting on the nerve roots could have the potential to stir up the inflammatory component of AA, but some would also argue that steroid preparations will reduce inflammation, which is one of the aims of the MBBB. The other, as I mentioned before, is diagnostic to see if that is the source of your pain.

As a general rule, I recommend avoiding invasive procedures of all types in AA. But individual circumstances vary and in some situations, the potential benefits outweigh the risks. Have you had a recent MRI scan? If so, is there any evidence of foraminal stenosis?

Hope this helps

Regards

DocSarah

=====